General Disclaimer

One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some
 of the material. However, it is the best reproduction available from the original
 submission.

Produced by the NASA Center for Aerospace Information (CASI)

"Made available under NASA sponse ship in the interest of early and wide semination of Earth Resources Survey Program information and without liability for any use made therent."

E82-10352

Quarterly Progress Report

CR-168996

"An Investigation into the Utilization of HCMM Thermal Data for the Discrimination of Volcanic and Eolian Geological Units"

NASA Contract No. NASS-26728

For the Period September 1, 1981 to February 28, 1982

<u>Accomplishments and Significant Results</u> - During these two quarters funding was begun and

- background studies were undertaken and completed with emphasis on the nature of the HCMM data set and the general geologic application of thermal inertia imaging using HCMM data.
- 2) CCT's of five of our sites of interest were obtained and displayed on our image display system.
- 3) Investigations were carried out to perform the upgrade of our image display system described in our proposal.
- 4) Work continued on the characterization of fragment/block size distributions in various terrain types with emphasis on volcanic terrain.
- 5) Preliminary analysis of other data sets was carried out with the goal of understanding the ability of different data sets to discriminate geologic unit boundaries, with special emphasis on volcanic terrain. This study is on one of our HCMM test sites. Specifically, Seasat L-band radar images of volcanic landforms at Newberry Volcano, Oregon, were analyzed and compared to Landsat band 7 images. We are presently beginning to correlate these results with HCMM data.

Publications

1) "Analysis of Seasat Radar Images of Newberry Volcano, Oregon" (R. G. Blom and Peter Mouginis-Mark) submitted to <u>Journal of Geophysical</u> Research.

<u>Plans for Next Reporting Period</u> - Continued analysis of HCMM test sites, upgrade of image display system, definition of other correlative data set specific needs, definition of any additional HCMM CCTS required for the investigation.

Funds are being expended on schedule.

RECEIVED

JUN 2,1982 SIS1902.6

HFO-020

Type II

James W. Head III

Principal Investigator

Department of Geological Sciences

Brown University

Providence, RI 02912

(401)863-2526

: 188 # | Befort, Ga/43 A

UTILIZATION OF HCMM THERMAL LATA FOR T DISCRIMINATION OF VOLCANIC AND BOLLAN GBOLOGICAL UNITS Quarterly Progress 1 1 Sep. 1981 - 28 Peb. 1982 (Brown inter

JUN1982
RECEIVED
MASA STI FACILITY
MASA STI FACI